L Number	Hits	Search Text	DB	Time stamp
1	1	6370654.pn.	USPAT;	2002/12/15 20:27
		,	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
2	0	6370654.pn. and address\$2	USPAT;	2002/12/15 20:27
			US-PGPUB;	
		*	EPO; JPO;	
_			IBM_TDB	
3	47	(primary adj network\$2) and ((redundant backup) adj	USPAT;	2002/12/15 20:51
		network\$2)	US-PGPUB; EPO; JPO;	
			IBM_TDB	
4	32	((primary adj network\$2) and ((redundant backup) adj	USPAT:	2002/12/15 21:40
1	02	network\$2)) and address\$2	US-PGPUB;	2002: 12: 70 2 11: 10
			EPO; JPO;	
			IBM_TDB	
5	1613	709/238,239,240,242,243,244.ccls.	USPAT;	2002/12/15 21:52
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
6	1547	709/238,239,240,242,243,244.245.ccls.	USPAT;	2002/12/15 21:52
			US-PGPUB;	
			EPO; JPO;	
7	111	709/238,239,240,242,243,244.245.ccls. and (address adj	IBM_TDB USPAT;	2002/12/15 21:56
'	111	table\$2)	US-PGPUB;	2002/12/13 21.30
		table \$\psi_{2}\$	EPO; JPO;	
			IBM_TDB	
8	16	(709/238,239,240,242,243,244.245.ccls. and (address adj	USPAT;	2002/12/16 01:41
		table\$2)) and ((primary redundant backup) near5 network\$2)	US-PGPUB;	
	:		EPO; JPO;	
	**		IBM_TDB	
9	183	709/251.ccls.	USPAT;	2002/12/15 23:08
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
11	1300	370/221-228.ccls.	USPAT;	2002/12/15 23:09
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
12	1470	709/251.ccls. 370/221-228.ccls.	USPAT;	2002/12/15 23:10
[US-PGPUB;	
			EPO; JPO;	
12	2050	709/238,239,240,242,243,244.245.ccls. (709/251.ccls.	IBM_TDB USPAT;	2002/12/15 23:10
13	2958	709/236,239,240,242,243,244.245.cds. (709/231.cds.	US-PGPUB;	2002/12/15 23.10
		01012m1-220.0013.j	EPO; JPO;	
		·	IBM_TDB	
14	0	(709/238,239,240,242,243,244.245.ccls. (709/251.ccls.	USPAT;	2002/12/15 23:11
		370/221-228.ccls.)) and (adddress\$2 near3 table\$2)	US-PGPUB;	
			EPO; JPO;	
		(200,000,000,000,000,000,000,000,000,000	IBM_TDB	0000454555
16	396	(709/238,239,240,242,243,244.245.ccls. (709/251.ccls.	USPAT;	2002/12/15 23:11
		370/221-228.ccls.)) and (address\$2 near3 table\$2)	US-PGPUB;	
			EPO; JPO; IBM TDB	
17	83	((709/238,239,240,242,243,244.245.ccls. (709/251.ccls.	USPAT;	2002/12/15 23:51
''	03	370/221-228.ccls.)) and (address\$2 near3 table\$2)) and (arp	US-PGPUB;	
		iparp ip-arp (address adj resolution adj protocol))	EPO; JPO;	
		, , , a sup (managed and recognition and brocked)	IBM_TDB	
18	16	(((709/238,239,240,242,243,244.245.ccls. (709/251.ccls.	USPAT;	2002/12/16 01:22
		370/221-228.ccls.)) and (address\$2 near3 table\$2)) and (arp	US-PGPUB;	
		iparp ip-arp (address adj resolution adj protocol))) and	EPO; JPO;	
L	<u> </u>	((primary main redundant backup) near3 network\$2)	IBM_TDB	

19	380	((709/238,239,240,242,243,244.245.ccls. (709/251.ccls.	USPAT;	2002/12/15 23:25
		370/221-228.ccls.)) and (address\$2 near3 table\$2)) not	US-PGPUB;	
		((709/238,239,240,242,243,244.245.ccls. and (address adj	EPO; JPO;	
21	11	table\$2)) and ((primary redundant backup) near5 network\$2)) ((((709/238,239,240,242,243,244.245.ccls. (709/251.ccls.	IBM_TDB USPAT:	2002/12/15 23:26
21	''	((((1/09/256,259,240,242,245,244.245.cds. (1/09/251.cds. (1/09/256,259,240,242,245,244.245.cds. (1/09/251.cds. (1/09/256,259,240,242,245,244.245.cds. (1/09/251.cds. (1/09/256,259,240,242,245,244.245.cds. (1/09/251.cds. (1/09/256,259,240,242,245,244.245.cds. (1/09/251.cds. (1/09/256,259,240,242,245,244.245.cds. (1/09/256,259,240,242,245,244.245.cds. (1/09/251.cds.	US-PGPUB;	2002/12/13 23.20
		iparp ip-arp (address adj resolution adj protocol))) and	EPO; JPO;	
		((primary main redundant backup) near3 network\$2)) not	IBM_TDB	
		((709/238,239,240,242,243,244.245.ccls. and (address adj	15.0155	
		table\$2)) and ((primary redundant backup) near5 network\$2))		
22	39692	plurality near5 network\$2	USPAT;	2002/12/15 23:50
			US-PGPUB;	
		_	EPO; JPO;	
			IBM_TDB	
23	830	(plurality near5 network\$2) and (address\$2 adj table\$2)	USPAT;	2002/12/15 23:51
			US-PGPUB;	
			EPO; JPO;	
24	407	(/aluanitha anno 5 ant and 60) and (addanae60 addahala60)) and	IBM_TDB	2002/42/46 04-42
24	127	((plurality near5 network\$2) and (address\$2 adj table\$2)) and	USPAT;	2002/12/16 01:42
		(arp iparp ip-arp (address adj resolution adj protocol))	US-PGPUB; EPO; JPO;	
			IBM_TDB	
25	28	(((plurality near5 network\$2) and (address\$2 adj table\$2)) and	USPAT;	2002/12/15 23:52
		(arp iparp ip-arp (address adj resolution adj protocol))) and	US-PGPUB;	
		(backup redundant)	EPO; JPO;	
		,	IBM_TDB	
26	1	6389031.pn.	USPAT;	2002/12/16 00:53
			US-PGPUB;	
			EPO; JPO;	
0.7		0000004	IBM_TDB	00004040 04.44
27	0	6389031.pn. and arp	USPAT;	2002/12/16 01:14
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
29	2	("6378029" "6389030" "6173312" "6356622" "6408000"	USPAT;	2002/12/16 01:16
20	_	"5751574" "6397260"). and (arp iparp ip-arp (address adj	US-PGPUB;	2002/12/10 01:10
ĺ		resolution adj protocol))	EPO; JPO;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	
30	6	(((((709/238,239,240,242,243,244.245.ccls. (709/251.ccls.	USPAT;	2002/12/16 01:30
		370/221-228.ccls.)) and (address\$2 near3 table\$2)) and (arp	US-PGPUB;	
		iparp ip-arp (address adj resolution adj protocol))) and	EPO; JPO;	
		((primary main redundant backup) near3 network\$2)) and (arp	IBM_TDB	
		iparp ip-arp (address adj resolution adj protocol)) and intermediate		
31	1	5490250.pn.	USPAT;	2002/12/16 01:30
	1		US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
32	1	5490250.pn. and intermediate	USPAT;	2002/12/16 01:31
] :		US-PGPUB;	
	1		EPO; JPO;	
00	_	F. (DODE)	IBM_TDB	00004045
33	0	5490252.pn. and intermediate	USPAT;	2002/12/16 01:31
			US-PGPUB; EPO; JPO;	
			IBM TDB	
34	14	(709/238,239,240,242,243,244.245.ccls. and (address adj	USPAT;	2002/12/16 01:42
5 ;	'4'	table\$2)) and (arp iparp ip-arp (address adj resolution adj	US-PGPUB;	
		protocol)) and intermediate	EPO; JPO;	
		<u>'</u>	IBM_TDB	
28	0	("6378029" "6389030" "6173312" "6356622" "6408000"	USPAT;	2002/12/16 02:28
		"5751574" "6397260"). and (arp iparp ip-arp (address adj	US-PGPUB;	
		resolution adj protocol)) and intermediate	EPO; JPO;	
0.5		(HOOTOOON HOOOOON HOATOOAN HOOFOOON HO	IBM_TDB	00004040 00 00
35	7	("6378029" "6389030" "6173312" "6356622" "6408000"	USPAT;	2002/12/16 02:28
		"575157 4 " "6397260").pn.	US-PGPUB; EPO; JPO;	
			IBM TDB	
	<u></u>		IDIVI_IDD	

36	1	6370654.pn.	USPAT;	2002/12/16 02:28
	'	0070004.рп.	US-PGPUB; EPO; JPO;	2002/12/10 02.20
			IBM_TDB	
-	1	internet adj protocol adj address adj resolution adj protocol	USPAT	2002/12/11 12:23
-	2	("5751574" "5963540").pn.	USPAT	2002/12/11 12:31
-	4	("19533961" "0763953" "1624299" "1055304" "9933214").pn.	USPAT;	2002/12/11 12:34
			US-PGPUB; EPO; JPO;	
			IBM TDB	
-	136	(non-fault-tolerant (non-fault adj tolerant) (non adj fault adj	USPAT;	2002/12/11 12:36
		tolerant))	US-PGPUB;	
			EPO; JPO; IBM_TDB	
]_	5919	(non-fault-tolerant (non-fault adj tolerant) (non adj fault adj	USPAT;	2002/12/11 12:38
		tolerant) (fault adj tolerant))	US-PGPUB;	
			EPO; JPO;	
	117	((non-fault-tolerant (non-fault adj tolerant) (non adj fault adj	IBM_TDB USPAT	2002/12/11 13:55
-	117	tolerant) (fault adj tolerant))) and (non-fault-tolerant (non-fault	USPAT	2002/12/11 13.55
		adj tolerant) (non adj fault adj tolerant))		
-	101	(((non-fault-tolerant (non-fault adj tolerant) (non adj fault adj	USPAT	2002/12/11 13:56
		tolerant) (fault adj tolerant))) and (non-fault-tolerant (non-fault		
	61	adj tolerant) (non adj fault adj tolerant))) and (address\$2 mac) (fault-tolerant (fault adj tolerant)) and (ARP IPARP IP-ARP	USPAT;	2002/12/12 09:41
	"	(address\$2 adj resolution adj protocol))	US-PGPUB;	2002/12/12 00:41
			EPO; JPO;	
	50	((for the Antonome (for the add Antonome)) and (ADD IDADD IDADD	IBM_TDB	2000404040
-	59	((fault-tolerant (fault adj tolerant)) and (ARP IPARP IP-ARP (address\$2 adj resolution adj protocol))) and single	USPAT; US-PGPUB;	2002/12/12 10:26
		(dual cooks and resolution and protocoly)) and single	EPO; JPO;	
			IBM_TDB	
-	15941	((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2))	USPAT;	2002/12/12 10:57
		and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))	US-PGPUB; EPO; JPO;	
		(dadiosope (notwork adj addiosope)))	IBM_TDB	
-	12742	(((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2))	USPAT;	2002/12/12 10:56
		and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5	US-PGPUB;	
		(address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))	EPO; JPO; IBM_TDB	
		(and the family)	IBINI_100	
			_	
-	256	((((check\$4 detect\$4 determin\$6) near5 (node\$2	USPAT;	2002/12/12 10:57
		computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and	US-PGPUB; EPO; JPO;	
		(problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))	IBM TDB	
			_	
				:
) and (IPARP ARP IP-ARP (IP adj ARP))		
		, , , , , , , , , , , , , , , , , , ,	1	,

-	31	(((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 16:21
-	225) and (IPARP ARP IP-ARP (IP adj ARP))) and (single adj network\$2) ((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 16:25
) and (IPARP ARP IP-ARP (IP adj ARP))) not ((((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))		
	15) and (IPARP ARP IP-ARP (IP adj ARP))) and (single adj network\$2)) (((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 16:27
) and (IPARP ARP IP-ARP (IP adj ARP))) not ((((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))		
) and (IPARP ARP IP-ARP (IP adj ARP))) and (single adj network\$2))) and (fault-tolerant (fault adj tolerant))		

•	42	((((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/13 11:49
) and (IPARP ARP IP-ARP (IP adj ARP))) not ((((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))		
) and (IPARP ARP IP-ARP (IP adj ARP))) and (single adj network\$2))) and (fault-tolerant (fault adj tolerant) primary and redundant)		
-	23	(primary adj network\$2) and (redundant adj network\$2)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2002/12/13 12:20
-	165	(primary adj network\$2) and ((secondary redundant) adj network\$2)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2002/12/13 12:21
-	142	((primary adj network\$2) and ((secondary redundant) adj network\$2)) not ((primary adj network\$2) and (redundant adj network\$2))	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2002/12/13 12:22
-	64	(((primary adj network\$2) and ((secondary redundant) adj network\$2)) not ((primary adj network\$2) and (redundant adj network\$2))) and (backup redundant)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/13 12:22